

SECURITRON SYSTEM # 08

Application

Public restrooms in parks and day use areas.

Operation

Outside Operation: From outside the doors are unlocked during normal times of operation. Outside normal operation hours the doors are locked by the M62 Magnalock and access is gained by use of the MK key switch.

Inside Operation: From inside the doors are unlocked during normal times of operation. Outside normal operation hours egress is gained by use of the tSB-3 touch sense bars.

Securitron System Components

2 each	Magnalock M62
2 each	Key Switch MK
2 each	Touch Sence Bar TSB-3
2 each	Release Hold Timer TM-9
1 each	Power Supply BPS-24-1
1 each	Battery B-24-5
1 each	Day Timer DT-7

Additional Components Required

	Hinges
2 each	Closer
2 each	Kickplate
2 each	Stop
2 each	Pulls
	Gasketing (as required)

Options


- 1) For doors requiring card access or keypad access, replace the key switch with the card readers or keypads of your choice.

COMMENTS: MOST DEVICES COME WITH WIRE LEADS IN DIFFERENT LENGTHS DEPENDING ON WHAT MODEL IT IS. IF LONGER WIRE RUNS ARE REQUIRED 18G STRANDED WIRE IS FINE FOR SHORTER WIRE RUNS ON A 12 V SYSTEM. 22G WIRE IS ACCEPTABLE FOR SHORTER WIRE RUNS ON A 24 V SYSTEM. FOR SPECIFIC WIRE GUAGE QUESTIONS ON LONGER RUNS OR SYSTEMS PLEASE CALL OUR TECH SUPPORT LINE AT 1-800-MAGLOCK OR 1-800-624-5625.

TWO DOOR SYSTEM WITH DAY TIMER	Revision: 1	Number of Pages: 3	DRAWING # SEC-8	Drawn By: EBERGERET
	Date: 4-23-04	Page Number: 1		Approved By: RSALAZAR

SECURITRON MAGNALOCK CORP., 550 Vista Blvd., Sparks NV 89434 USA
Tel: (775) 355-5625 (800) MAGLOCK Fax: Mkt. (775) 355-5636, Fax: Admin. (775) 355-5633
Website: www.securitron.com E-mail: info@securitron.com

DOOR 1



COMMENTS: MOST DEVICES COME WITH WIRE LEADS IN DIFFERENT LENGTHS DEPENDING ON WHAT MODEL IT IS. IF LONGER WIRE RUNS ARE REQUIRED 18G STRANDED WIRE IS FINE FOR SHORTER WIRE RUNS ON A 12 V SYSTEM. 22G WIRE IS ACCEPTABLE FOR SHORTER WIRE RUNS ON A 24 V SYSTEM. FOR SPECIFIC WIRE GAUGE QUESTIONS ON LONGER RUNS OR SYSTEMS PLEASE CALL OUR TECH SUPPORT LINE AT 1-800-MAGLOCK OR 1-800-624-5625.

TWO DOOR SYSTEM WITH DAY TIMER RISER	Revision: 1	Number of Pages: 3	DRAWING # SEC-8	Drawn By: EBERGERET
	Date: 4-23-04	Page Number: 3		Approved By: RSALAZAR

SECURITRON MAGNALOCK CORP., 550 Vista Blvd., Sparks NV 89434 USA
 Tel: (775) 355-5625 (800) MAGLOCK Fax: Mkt. (775) 355-5636, Fax: Admin. (775) 355-5633
 Website: www.securitron.com E-mail: info@securitron.com